



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT-  
Docket No. 16836.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re application of

Dai et al.

Serial No.:

10/584,355

Filed:

Jun. 22, 2006

Confirmation No.:

3352

For:

*DEVICE FOR PREVENTING AND TREATING  
MYOPIA*

Examiner:

Ricky L. Mack

Patent No.:

7,726,812 B2

Issue Date:

Jun. 1, 2010

Art Unit  
2873

**Certificate**  
OCT 22 2010  
**of Correction**

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

10/20/2010 HBELETE2 00000027 7726812


01 FC:1011

100.00 OP

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 12 day of October, 2010.

Respectfully submitted,



MICHAEL M. BALLARD  
Attorney for Applicant  
Registration No.: 54,978  
Customer No.: 22913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 14<sup>th</sup> day of October, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 170571 in the amount of \$100

MMB:sv  
3053611\_1



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 16836.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In application of

Dai et al.

Serial No.: 10/584,355

Filed: Jun. 22, 2006

Confirmation No.: 3352

For: *DEVICE FOR PREVENTING AND TREATING  
MYOPIA*

Examiner: Ricky L. Mack

Patent No.: 7,726,812 B2

Issue Date: Jun. 1, 2010

Art Unit  
2873

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:


In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 12 day of October, 2010.

Respectfully submitted,




MICHAEL M. BALLARD  
Attorney for Applicant  
Registration No.: 54,978  
Customer No.: 22913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 14<sup>th</sup> day of October, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 170571 in the amount of \$100

MMB:sv  
3053611\_1

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 1

Line 18, change "light" to --lights--

Line 26, change "convex" to --convex lens--

Line 30, change "convex" to --convex lens--

Line 34, change "convex" to --convex lens--

Line 55, change "between viewed object and lens" to --between the viewed object and the lens--

### Column 2

Line 10, change "mechanism" to --mechanisms--

Line 18, after "in" insert --a--

Line 20, after "be" insert --a--

Line 21, after "means" insert --a--

Line 29, before "up and down mechanism" insert --an--

Line 30, change "easily" to --easy--

Line 47, change "consists" to --consist--

Line 49, before "article" insert --an--

Line 52, before "increase" insert --an--

Line 54, change "effect" to --effects--

Lines 58-59, change "paralleled" to --parallel--

Line 66, change "judge" to --judged--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

This collection of information is required by 37 C.F.T. 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

Line 1, before "correcting" insert --the--

Line 7, before "nose" insert --the--

Line 9, before "eyes" insert --the--

Lines 19-20, before "myopia correcting apparatus" insert --the--

Line 24, before "viewed object" insert --the--

Line 27, change "," to --.--

Line 30, change "apparatus;" to --apparatus.--

Line 39, change "Repeat above procedures" to --Repeat the above procedures--

Line 39, change "of diopter" to --of the diopter--

Line 41, change "Provided" to --provided--

Line 52, change "from relevant" to --from the relevant--

Line 53, change "where S is" to --where s is--

Column 4

Line 7, change "mechanism" to --mechanisms--

Line 29, change "of eyes" to --of the eyes--

Line 40, change "match" to --matching--

Line 47, change "too more training load" to --too much training load--

Line 49, change "lager" to --largely--

Line 52, change "condition" to --conditions--

Line 64, change "to the farsightedness" to --to farsightedness--

Line 65, change "cure to the structural myopia" to --cure to structural myopia--

Line 66, change "schmid" to --Schmidt--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 5

Line 3, change "anatomy experiment" to --an anatomy experiment--

Line 7, before "patient" insert --a--

Line 7, change "space" to --space,--

Line 10, change "to the symbols" to --the symbols--

Line 24, change "of vitreous" to --of the vitreous--

Line 28, change "cause" to --causes--

Line 34, change "When the healthy eyes" to --When healthy eyes--

Line 34, change "eyes adjustment" to --eye adjustment--

Line 35, change "concentration of eyes" to --concentration of the eyes--

Line 36, change "fovea of eyes" to --fovea of the eyes--

Line 37, change "adjustment of eyes" to --adjustment of the eyes--

Line 48, change "have provide" to --have provided--

Line 49, change "is resulted" to --results--

Line 53, change "cure the myopia" to --cure myopia--

Line 58, change "adjust" to --adjustment--

Line 61, change "long time and over" to --long time, over--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 4 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 6

Line 1, change "so that it can prevention and cure the myopia" to --so that it can prevent and cure myopia--

Line 2, change "Double vision marks combine" to --double vision marks combined--

Line 17, before "double" insert --a--

Line 19, before "double" insert --a--

Line 21, before "single" insert --a--

Line 23, before "double" insert --a--

Line 25, before "double" insert --a--

Line 31, after "Mark" insert --5—Control Key of LCD Gameboy--

Line 37, change "Anti Eyes Sight" to --Anti Eye Sight--

Line 47, change "is blocker frame" to --is a blocker frame--

Line 49, change "Track and rack 34" to --rack 34--

Line 51, change "through axis lever" to --through an axis lever--

Line 55, change "frication" to --friction--

Line 56, change "belt fasten structure" to --belt fastener structure--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Page 5 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Line 1, change "baffle 8" to --spacer 8--  
Line 4, change "about 4 D convex lens single let" to --about single 4D convex lens--  
Line 9, change "concave" to --convex--  
Line 16, change "is standing frame" to --is a standing frame--  
Line 16, change "the anti eyes cross sight reflection" to --the anti eye sight interleave reflection--  
Lines 19-20, change "Mechanical" to --A mechanical--  
Line 23, change "is interior built vision mark illumination" to --is the interior built vision mark illuminating--  
Line 26, change "of above stated methods." to --of the above stated methods.--  
Line 26, after "methods." insert a carriage return  
Line 31, change "1.5 hour" to --1.5 hours--  
Line 33, change "improve 3 behavior" to --improve behavior--  
Line 37, change "result" to --results--  
Line 38, change "Diagram 1" to --Table 1--  
Line 42, change "Diagram 2" to --Table 2--

Column 9

Line 8, change "the degree" to --is the degree--  
Line 11, change "adjust" to --adjustment--

Column 10

Line 23, change "the" to --is the--  
Line 27, change "adjust" to --adjustment--  
Line 35, change "mechanism" to --mechanisms--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 1

Line 18, change "light" to --lights--

Line 26, change "convex" to --convex lens--

Line 30, change "convex" to --convex lens--

Line 34, change "convex" to --convex lens--

Line 55, change "between viewed object and lens" to --between the viewed object and the lens--

### Column 2

Line 10, change "mechanism" to --mechanisms--

Line 18, after "in" insert --a--

Line 20, after "be" insert --a--

Line 21, after "means" insert --a--

Line 29, before "up and down mechanism" insert --an--

Line 30, change "easily" to --easy--

Line 47, change "consists" to --consist--

Line 49, before "article" insert --an--

Line 52, before "increase" insert --an--

Line 54, change "effect" to --effects--

Lines 58-59, change "paralleled" to --parallel--

Line 66, change "judge" to --judged--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

Page 2 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

Line 1, before "correcting" insert --the--

Line 7, before "nose" insert --the--

Line 9, before "eyes" insert --the--

Lines 19-20, before "myopia correcting apparatus" insert --the--

Line 24, before "viewed object" insert --the--

Line 27, change "," to --.--

Line 30, change "apparatus;" to --apparatus.--

Line 39, change "Repeat above procedures" to --Repeat the above procedures--

Line 39, change "of diopter" to --of the diopter--

Line 41, change "Provided" to --provided--

Line 52, change "from relevant" to --from the relevant--

Line 53, change "where S is" to --where s is--

Column 4

Line 7, change "mechanism" to --mechanisms--

Line 29, change "of eyes" to --of the eyes--

Line 40, change "match" to --matching--

Line 47, change "too more training load" to --too much training load--

Line 49, change "lager" to --largely--

Line 52, change "condition" to --conditions--

Line 64, change "to the farsightedness" to --to farsightedness--

Line 65, change "cure to the structural myopia" to --cure to structural myopia--

Line 66, change "schmid" to --Schmidt--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**

This collection of information is required by 37 CFT 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 5

Line 3, change "anatomy experiment" to --an anatomy experiment--

Line 7, before "patient" insert --a--

Line 7, change "space" to --space,--

Line 10, change "to the symbols" to --the symbols--

Line 24, change "of vitreous" to --of the vitreous--

Line 28, change "cause" to --causes--

Line 34, change "When the healthy eyes" to --When healthy eyes--

Line 34, change "eyes adjustment" to --eye adjustment--

Line 35, change "concentration of eyes" to --concentration of the eyes--

Line 36, change "fovea of eyes" to --fovea of the eyes--

Line 37, change "adjustment of eyes" to --adjustment of the eyes--

Line 48, change "have provide" to --have provided--

Line 49, change "is resulted" to --results--

Line 53, change "cure the myopia" to --cure myopia--

Line 58, change "adjust" to --adjustment--

Line 61, change "long time and over" to --long time, over--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

This collection of information is required by 37 C.F.T. 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 4 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 6

Line 1, change "so that it can prevention and cure the myopia" to --so that it can prevent and cure myopia--

Line 2, change "Double vision marks combine" to --double vision marks combined--

Line 17, before "double" insert --a--

Line 19, before "double" insert --a--

Line 21, before "single" insert --a--

Line 23, before "double" insert --a--

Line 25, before "double" insert --a--

Line 31, after "Mark" insert --5—Control Key of LCD Gameboy--

Line 37, change "Anti Eyes Sight" to --Anti Eye Sight--

Line 47, change "is blocker frame" to --is a blocker frame--

Line 49, change "Track and rack 34" to --rack 34--

Line 51, change "through axis lever" to --through an axis lever--

Line 55, change "frication" to --friction--

Line 56, change "belt fasten structure" to --belt fastener structure--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 5 of 5

PATENT NO. : 7,726,812 B2

APPLICATION NO. : 10/584,355

ISSUE DATE : Jun. 1, 2010

INVENTOR(S) : Dai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 7

Line 1, change "baffle 8" to --spacer 8--  
Line 4, change "about 4 D convex lens single let" to --about single 4D convex lens--  
Line 9, change "concave" to --convex--  
Line 16, change "is standing frame" to --is a standing frame--  
Line 16, change "the anti eyes cross sight reflection" to --the anti eye sight interleave reflection--  
Lines 19-20, change "Mechanical" to --A mechanical--  
Line 23, change "is interior built vision mark illumination" to --is the interior built vision mark illuminating--  
Line 26, change "of above stated methods." to --of the above stated methods.--  
Line 26, after "methods." insert a carriage return  
Line 31, change "1.5 hour" to --1.5 hours--  
Line 33, change "improve 3 behavior" to --improve behavior--  
Line 37, change "result" to --results--  
Line 38, change "Diagram 1" to --Table 1--  
Line 42, change "Diagram 2" to --Table 2--

### Column 9

Line 8, change "the degree" to --is the degree--  
Line 11, change "adjust" to --adjustment--

### Column 10

Line 23, change "the" to --is the--  
Line 27, change "adjust" to --adjustment--  
Line 35, change "mechanism" to --mechanisms--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**MICHAEL M. BALLARD, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**